


A Polyflor at Home collection www.polyflorathome.com



Designatex

Textile backed luxury vinyl sheet flooring

feel at home

The type of floor you choose for your home plays an integral part in creating the décor and atmosphere you wish to achieve. Everyone wants to walk into a home that is both warm and welcoming, without compromising on style and durability.

Designatex is a collection of wood and stone effect floorcoverings, all beautifully replicated to give the appearance of natural textures to enhance your home's interior. Drawing inspiration from various wood species and stone finishes, including rustic reclaimed planks to smooth contemporary tiles, Designatex has a design to suit every room in your home.

For a closer look visit:

Polyflor at home △

Sample Service

www.polyflorathome.com

+44 (0)161 767 2551







Designatex

Textile backed luxury vinyl sheet flooring









The addition of a soft textile layer on the underside of Designatex provides warmth and comfort underfoot, whilst aiding in reducing noise transfer between rooms.



Designatex's hard wearing R10 level slip resistance helps to prevent slips in the home, keeping you and your family safe.





The unique polyurethane reinforcement (PUR) in Designatex provides a surface that helps to prevent stains and scuff marks, reducing cleaning time and costs.



What does it mean?

The textile backing layer helps to mask any minor subfloor unevenness or surface texture, and makes Designatex lightweight and easy to handle. The flooring can be loose laid in most homes, eliminating the need for adhesive and reducing installation costs and time.





Laurel Oak Parquet

Striking with natural variation



Laurel Oak Parquet 2136 76.2 x 228.6mm



Beautifully recreating the appearance of traditional wooden parquet flooring, Laurel Oak Parquet creates a classic look with its blond tones and highlights. The design brings warmth and light into any interior, and can be paired with traditional or modern contemporary furnishings.



Don't forget

The hardwearing slip
resistance prevents
everyday slips



English Oak Parquet Timeless and elegant wood shades



English Oak Parquet 2137 76.2 x 228.6mm





The timeless wood shades and grain pattern in English Oak Parquet gives the floorcovering an elegant reclaimed appearance. The natural timber colours make it an ideal platform for a variety of interior décor schemes, giving you complete creative freedom.



Rich Oak Parquet Bold, warm and welcoming



Rich Oak Parquet 2138 76.2 x 228.6mm





For those households that wish to make a bold statement with their choice of floorcovering, Rich Oak Parquet is a truly stunning option. The varied and fluid grain patterning is further emphasised by the rich chocolate and auburn hues within each plank.

Fantastic in open plan areas



California Oak

Fresh sun bleached tones







Don't forget

CleanShield helps prevent stains and scuff marks

Evoking images of fresh, clean colours, blond sun bleached tones and fashionable lifestyles, California Oak beautifully captures the style of West Coast America. The wider plank size and rustic surface texture further enhances the designs authenticity.



Cornish Oak 2146 166 x 1500mm





Unlike other more traditional oak plank designs, **Cornish Oak** has been developed using cooler grey browns to give each plank a subtle tonal effect. This gives the appearance of reclaimed oak that has experienced continuous exposure to the elements, typical of coastal living.

Cornish Oak

Exposed & reclaimed coastal timber



WOOD 17

Sicilian Oak

Enriched, golden country planks



Sicilian Oak 2147 *166 x 1500mm*





The enriched golden shades and contrasting grain tones of Sicilian Oak creates authentic natural variation, bringing each plank to life. When installed alongside a traditional tile design to separate out different living spaces, the result is an inviting, country style interior.

Suitable for all rooms in your home



Honey Limed Ash Simple, delicate, appealing



Honey Limed Ash 2143 166 x 1500mm





Simple, delicate grain structure and subtle tonal variations are just some of the characteristics that make ash planks so appealing when selecting a floorcovering for your home. The elegant effect is beautifully captured in Honey Limed Ash, providing warmth and light.



Columned Ash 2140 500 x 40-120mm



[Don't forget] warmth and comfort

underfoot


direction to give a linear, abstract effect. The colour variations help define each plank and create movement throughout the design, making it ideal for larger living spaces.

Columned Ash

Parquet, with a modern twist







WOOD 23 22

Smokehouse Herringbone

Mixing traditional with contemporary



Smokehouse Herringbone 2139 140 x 710mm





Though traditional in layout and using a rustic reclaimed timber design, the grey wood tones of **Smokehouse Herringbone** can be matched with modern furnishing and wall coverings to create a stunning effect. Add a bright accent colour to your décor to really make your interior shine.




WOOD 25



Chalk White Oak 2141





Used primarily for modern minimalist interiors which can sometimes be cold and unfriendly, white can also be used to create a cosy room by introducing different textures, materials and lighting. The rustic grain and textured surface of **Chalk White Oak** works seamlessly with this style of decorating.


Chalk White Oak

Crisp, cosy and comforting



Platinum Oak

Sleek and modern living



Platinum Oak 2142 166 x 1500mm





Create a sleek, modern look in your home with the cool grey tones of **Platinum Oak**, engineered to give you the appearance of real wood in a colour better suited to contemporary living spaces. Team **Platinum Oak** with bold blue walls and furniture for a striking interior.

Combining rustic timber with urban greys



Nero Oak

Eye catching, monochrome effect



Nero Oak 2144 125 x 1000mm



[Don't forget] layer reduces noise transfer



Make a statement with the striking, eye catching effect of Nero Oak. The monochrome wood design with its fine grain detailing and slimmer plank width has been complemented with a smoother surface texture to create a clean, fresh finish.





Cottage Paving
Refreshing random paving effect



Cottage Paving 2148 166 x 166mm - 333 x 500mm





Recreating a traditional random paving effect in an easy to install vinyl sheet format, Cottage Paving depicts yorkstone tiles in cream and blush shades that brighten any room from hallways and kitchens to living spaces and bedrooms.



STONE 35

Tuscan Paving

Smooth lines for a clean finish



Tuscan Paving 2149 166 x 166mm - 333 x 500mm





Developed using taupe shades and beige undertones to replicate the appearance of real stone, the tile edges and grout lines within **Tuscan Paving** have been created using smooth lines for a cleaner finish. This makes the flooring more versatile unlike typical traditional random paving designs that have rough tile edges suited to rustic interiors.



STONE 37

Barça Limestone 2150



Don't forget

Clean Shield helps prevent stains and scuff marks

The trend towards slimmer floor tiles in the home has been growing in popularity. **Barça Limestone** with its blend of warm beige tones and smooth, slender tiles creates a welcoming yet contemporary flooring design that suits a variety of interior schemes.

Barça Limestone

Slimmer tiles for smaller spaces



Manhattan Limestone

Cool, polished stone effect



Manhattan Limestone 2151 500-800 x 143mm




Creating a clean, polished stone effect whilst incorporating subtle surface texture within the design, Manhattan Limestone's cool colour palette is perfectly suited to urban living spaces, giving you a high quality tile design whilst providing the durability of vinyl sheet flooring.



Quarried Slate

Beautifully captured & replicated



Quarried Slate 2152 500-1000 x 35-135mm



Don't forget]

The hardwearing slip

The hardwearing slip resistance prevents everyday slips

Designed as an eye-catching alternative to traditional large scale flooring tiles, the multi-width tiles within **Quarried Slate** are right on trend. Typically complex to cut and install using real slate tiles, this attractive floorcovering makes achieving the same effect quick and simple.




Noir Slate

Striking graphic design



Noir Slate 2153 500–1000 x 35–135mm





Noir Slate's striking contrast between the multi-width tiles and pale grout line creates a very graphic and abstract effect, whilst still skilfully replicating the appearance and surface texture of real slate tiles. Use within a simple monochrome design scheme, or as a base for bright primary colours.



STONE 45



Wood

Stone



Chalk White Oak 2141 200 x 1500mm



166 x 1500mm



Columned Ash 2140 500 x 40-120mm



Barça Limestone 2150 500-800 x 143mm



Cottage Paving 2148 166 x 166-333 x 500mm



Tuscan Paving 2149 166 x 166-333 x 500mm



California Oak 2145 166 x 1500mm



Cornish Oak 2146 166 x 1500mm



Sicilian Oak 2147 166 x 1500mm



Manhattan Limestone 2151 500-800 x 143mm



Quarried Slate 2152 500-1000 x 35-135mm



Noir Slate 2153 500-1000 x 35-135mm



Laurel Oak Parquet 2136 76.2 x 228.6mm




English Oak Parquet 2137 76.2 x 228.6mm



Rich Oak Parquet 2138 76.2 x 228.6mm





Nero Oak 2144 125mm x 1000mm



Manhattan Limestone 2151



Smokehouse Herringbone 2139



140 x 710mm

We recommend you view an original sample of your selected designs which we shall be Sample Service pleased to supply, free of charge. Either visit polyflorathome.com and follow the samples link or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

Platinum Oak 2142

166 x 1500mm



The R values shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe ranges.



Designed to perform I need a floor that requires minimal maintenance, but will continue to look at its best year after year. Don't forget] Regular cleaning is more beneficial than occasional heavy cleaning

Designatex

Textile backed luxury vinyl sheet flooring

To help keep your Designatex flooring looking at its best, a regular cleaning regime is required. Regular cleaning is more beneficial to the floorcovering and more cost effective than occasional heavy cleaning.

Ensure that you regularly:



- Sweep or vacuum the floor to remove any dust and loose dirt
- Mop with a neutral cleaner to remove any stubborn marks, rinse with clean water and allow to dry



- Install mats at all entrances to pick up excess dirt and grit which might scratch the floor
- Ensure all cleaners and detergents are diluted as per the manufacturer's instructions. For recommended products for use with Designatex, visit polyflor.com and go to the product pages



Fit protective pads to all furniture legs to prevent scratches when moved across the floor

Protection for everyday wear:



The Designatex collection comes complete with a polyurethane reinforcement (PUR) to protect against everyday wear, however to minimise the chances of your flooring becoming damaged we do recommend following the floorcare guidelines above.

 18





For over 60 years Polyflor have demonstrated a firm commitment to the development and production of high quality vinyl floorcoverings. Polyflor continually works on developing new products and technologies, and constantly evaluates production methods to minimise our impact on the environment, without compromising the performance benefits of our products.

Designatex is constructed from vinyl, a cost effective multi faceted plastic that has become an essential part of everyday life due to its flexibility, durability, performance and functionality, and is an environmentally sound choice. As a material, vinyl is ideally suited to being recycled.

The easy maintenance regime of vinyl flooring also means that energy intensive cleaning is not required, and the need for harsh chemical cleansers, polish, strippers and water usage is massively reduced, making your home a safer, chemical free environment for you and your family.





Refer to BRE Global ratings on www.greenbooklive.com







For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance log onto www.polyflor.com/environment.

Air Quality

Designatex achieves 'Indoor Air Comfort Gold' certification for low Volatile Organic Compound (VOC) emissions, an internationally recognised indoor air quality standard. Vinyl flooring has also not been found to contribute to common allergies such as asthma or dust allergies, so you can be confident Designatex is safe for use in your home.



50

TECHNICAL GUARANTEE

Specifications	Standards	Designatex	
Type of Floorcovering	EN 653	Heterogeneous	
	EN ISO 26986	Heterogeneous	
Product Enhancement		PUR	
Gauge	EN 428	3.0mm	
	EN ISO 24346		
Wear Layer	EN 429	0.3mm	
	EN ISO 24340		
Performance Classification	EN 685	23, 31	
	EN ISO 10874		
Roll Size	EN 426	2m x 25m = 50m ² 4m x	25m = 100m ²
	EN ISO 24341	3m x 25m = 75m ²	
Total Weight	EN 430	1,700g/m²	
	EN ISO 23997	, 3	
Acoustic Impact Sound Reduction	EN ISO 10140-3 (EN ISO 140-8)	17dB	
Residual Indentation Abrasion Resistance	EN 433	≤ 0.35mm	
		5 0.3311111	
	EN ISO 24343-1	Craus T	
Dimensional Stability	EN 653	Group T	
	EN ISO 10582	Type 1	
	EN 434	≤ 0.40%	
5 L 5	EN ISO 23999	D(I 04	
Behaviour to Fire	EN 13501-1	Bfl-S1	
Slip Resistance	DIN 51130	R10*	
	AS/NZS 4586	R10	
	EN 13893	Class DS (Dry Condition)	
Light Fastness	ISO 105-B02 (Method 3)	≥ 6	
Resistance to Chemicals	EN 423 (ASTM F 1303-99)	Excellent	
Underfloor Heating Suitability	ISO 8302	Suitable (Max 27°C)	
Castor Chair Suitability	ISO 4918	Pass	
VOC Test	Indoor Air Comfort Gold	Approved	
	AgBB	Very low emissions	
Electrical Behaviour (body voltage)	EN 1815	This product does not accumulate station	-
		classified as 'antistatic'. For specialist ap	plications where there is
		requirement to dissipate the electrostat	ic charge, see the Polyflor ESD
		product range.	
Installation	Adhered	Subfloors must be dry, smooth and flat.	For more information, see
		"Subfloor Preparation" on the Polyflor w	ebsite. Do not adhere this produc
		to a subfloor unless the Relative Humid	ity (Rh) is 75% or lower.
	Loose Lay	Product can be installed up to 20m² on	damp subfloor where a Relative
		Humidity (Rh) of 90% is not exceeded.	
Hygiene	All Polyflor commercial sheet vinyl ranges provide a continuous, impervious and hygienic flooring solution which		
	can be confidently cleaned in accordance with recommended maintenance procedures and approved maintenance		
	products. The implementation of an effective cleaning regime is the most important defence against infection.		
Environmentally Preferable Flooring	Polyflor Designatex achieves a BRE Global Environmental A Rating (Generic) in major use areas such		
	as education and healthcare. Polyflor Designatex is 100% recyclable. EN 15804 Environmental Product		
	Declaration is available upon request, and a full Environmental Report detailing Polyflor's achievements in areas		
	such as recycling, energy reduction		

^{*}for commercial installations that require sustainable wet slip resistance, refer to the Polysafe ranges.













The Designatex collection of luxury vinyl sheet flooring has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the product ensures high performance and optimum style. In addition, Designatex is suitable for moderate commercial applications such as light traffic areas within hotels, conference rooms and small offices. Compared with many natural flooring options, Designatex will under normal conditions resist household stains, will not crack, chip or splinter. The manufacturers of Designatex are confident that their high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 15 years in domestic home installations against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where the flooring was purchased and provide satisfactory proof of purchase. This guarantee only applies in the event of visible wearing out of the decorative pattern on the surface within 15 years of purchase, providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.

WEBSITES & SOCIAL MEDIA SAMPLE SERVICE

Whether you are in need of further product or technical specifications, have a query about our ranges or just require some interior design inspiration, Polyflor have a variety of online tools you can navigate through easily to find exactly what you are looking for.


Designatex

Textile backed luxury vinyl sheet flooring

Polyflor at home \triangle

Containing a wealth of interior design ideas and inspiring imagery,

PolyfloratHome.com is a dedicated website showcasing all of Polyflor's domestic
flooring collections. Here you can view, save and download your favourite images,
search by flooring type or browse by room, plus request free product samples to







be delivered straight to your door.

Follow our blog at blog.polyflorathome.com




Tweet us and follow us at twitter.com/PolyflorItd



See our Pinterest boards at pinterest.com/polyflorathome



All commercial and trade customers can find detailed product and technical information on all flooring collections within the Polyflor portfolio at **polyflor.com**. This award winning website has an easy to follow navigation, designed to help you locate the information you require quickly and easily. Technical document and brochure downloads are available, as well as product images, installation galleries plus our free product sample order service.





When browsing through the Designatex collection within this brochure or online, it is only possible to give a provisional representation of each colour. To authentically replicate the natural material of wood planks and stone tiles, the product may contain knots or markings as part of their design. For final colour selection, we recommend you preview an original sample which we will be happy to supply free of charge.

To request individual product samples of any of the designs within the Designatex collection, visit polyflorathome.com or polyflor.com and follow the link to Samples. Alternatively, you can call the dedicated Polyflor Sample Hotline on +44 (0) 161 767 2551.





How to order your Designatex floor:

Polyflor products are readily available worldwide through our wide network of supporting agents and wholesale partners. Your local flooring retailer or supplier should be able to source your selected Designatex product through their existing supply chain. If you require any further details on local providers, contact us at info@polyflor.com.

Thanks for browsing

4

esignatex

POLYFLOR™ INTERNATIONAL

E-mail: sales@polyflor.com.au

Polyflor Canada Inc.

James Halstead France SAS

objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 E-mail: info@objectflor.de

Polyflor India Pvt Ltd Tel: +91 22 4476 4567 E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland Tel: +353 (1) 864 9304 E-mail: salesireland@polyflor.com

New Zealand

E-mail: sales@polyflor.co.nz

Tel: +47 23 00 84 00 E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z o.o.

www.polyflorathome.com

www.polyflor.com





POLYFLOR™ HEAD OFFICE

POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK

UK SALES DIRECT: UK SAMPLE REQUESTS: +44 (0)161 767 2551 **EXPORT SALES DIRECT:** +44 (0)161 767 1913 EXPORT FAX:

TECHNICAL SUPPORT: +44 (0)161 767 1912

Polyflor Contract Ltd

Tel: +7 (812) 332 42 02 E-mail: info@polyflor.ru

South Africa

Poly Sales Africa (Pty.) Ltd Tel: +27 11 609 3500 E-mail: info@polyflor.co.za

FalckDesign AB
Tel: +46 (0) 300 15820
E-mail: info@falckdesign.com

United Arab Emirates

Poly Sales Tiles & Flooring Trading LLC Tel: +971 4 349 1078 E-mail: dubai@polyflor.com





E-MAIL:

WEBSITE:



INFO@POLYFLOR.COM