





Inspiring interiors for modern living

Make your house a home with the authentic designs and welcoming comfort of Secura. Combining influences from natural textures like wood and stone through to contemporary modern living materials, the Secura collection has been developed to enhance your home's interior using authentic patterns and inspiring designs, whilst giving you the practicality and durability that comes from luxury vinyl sheet flooring.

The Secura collection has been designed to be used in every room in your house. Innovative maintenance technology, together with an eclectic array of traditional and contemporary designs gives you a finish that you can be proud of, and will enjoy for years to come.



All of the designs in the Secura collection are guaranteed to stay looking incredible for up to 20 years.

For a closer look visit our website or call us:

Polyflor at home ∆

Sample Service

www.polyflorathome.com

+44 (0) 161 767 2551











Designed for Living

Achieving a high design finish in your home's interior can sometimes mean compromising on other features including durability, comfort, and an easy maintenance regime. The results can be timely and costly, something a modern household cannot afford.

That is why the Secura collection has been developed to withstand the demands of a busy household, whilst bringing you inspiring designs and authentic finishes.









The addition of a soft-backed layer provides warmth and comfort underfoot, plus aids in reducing noise between rooms



Secura's hard wearing R10 level slip resistance helps to prevent slips in the home, keeping you and your family safe



The unique polyurethane reinforcement (PUR) in Secura provides a surface that helps to prevent stains and scuff marks, reducing cleaning time and costs






White Limed Ash 2160 1500 x 166mm







Clean and crisp with authentic grain detail, White Limed Ash will breathe new life into any interior.



Coastal Oak 2159





Inspired by sandy shores and leafy coastlines bring the natural charm of the seaside to your home. Pair with cool blue accessories to create a contemporary but timeless look.





Sterling Oak 2161








The stunning grey hues of Sterling Oak make a great accompaniment to any interior scheme. Pair with contrasting accessories for a statement industrial finish.



Blond Oak 2127







The striking plank size and detailed grain patterns within the Blond Oak design help to create a stylish, sophisticated floorcovering that is truly eye-catching.



Golden Oak 2128 500/1000 x 62.5mm







Encapsulating a variety of deep warm honey tones within a slim plank design, Golden Oak reflects the same grain and tonal variations found in real oak flooring.






Wheatfield Oak 2163







Embodying harvest wheat and golden grains, Wheatfield Oak will give your home a warm country welcome.



Natural Oak 2126 1000 x 200mm







The untreated decoration of Natural Oak brings out the authentic character of the wood, complemented by pale honey tones to create a sense of warmth and depth.



Honey Blushed Oak 2162 1500 x 200mm







Rich autumnal highlights bring this stunning timber design to life. Inject some character into your home with Honey Blushed Oak.



Country Oak 2130 1500 x 200mm







The heavy rustic wood pattern and rich cinnamon and caramel tones of Country Oak brings the character of this classic wood to life.






Antique Herringbone 2129 710 x 140mm





The light tan hues and hazelnut tones give Antique Herringbone a rustic feel, and the rougher grain and knots have been faithfully reproduced.






Black Walnut 2133 420/580 x 100mm







The dark, velvety coffee tones and accentuated grain of Black Walnut, gives this design a distinct quality and character suited to high-contrast modern interiors.



Ebony 2135 1000 x 100/150mm







With echoes of charcoal grey hues, this contemporary Ebony wood design when contrasted with more neutral furnishings and wall colours, brings any modern living space right up-to-date.







Limestone 2111 500 x 333mm





Seeking inspiration from natural rock and stone formations, the classic Limestone styling of this contemporary floorcovering provides the perfect base for any modern household.





Riviera Taupe 2116







The light auburn and beige layered tones of Riviera Taupe come together to create an elegant pattern. This attractive textured design creates a complex and elegant floorcovering that is both stylish and fresh.



Yorkstone 2110 500 x 333mm





Bringing together realistic stone hues and natural rock formation patterns, Yorkstone provides a practical yet striking floorcovering suited to both clean and contemporary setting as well as classically styled interiors.





Farmhouse Terracotta 2113 165 x 165mm







This traditional small tile pattern contains a variety of warming umber and orange tones that come together with all of the natural beauty of terracotta.



Portobello Flagstone 2166 400 x 375mm





The soft, earthy tones of Portabello Flagstone will harmonise all interior schemes. Subtle and calming, create a balanced space.





Powdered Concrete 2164





Quickly becoming a firm home interior favourite, concrete is here to stay. With an effortlessly chic finish this gorgeous design will freshen up any room in your home.







Plymouth Slate 2165 500 x 333mm







Neutral but lively this stunning fresh water slate design will pair beautifully with both minimalist and vibrant decors.



Polished Concrete 2118







Polished Concrete is a contemporary floorcovering designed to evoke a fashionable loft-apartment style in an easy-to-fit, practical format.






Grey Flagstone 2119 400 x 375mm











Black Slate 2114 500 x 333mm







The stylish and attractive brickwork design of Black Slate, together with its crisp black and grey tones and pale grout lines gives any interior a modern yet elegant finish.

Wood Stone/Abstract



2160 White Limed Ash 1500 x 166mm



2159 Coastal Oak 1500 x 200mm



2161 Sterling Oak 1000 x 200mm



2111 Limestone 🔺 500 x 333mm



2116 Riviera Taupe



2110 Yorkstone 🔺 500 x 333mm



R10 2127 Blond Oak 1500 x 200mm



2128 Golden Oak 500/1000 x 62.5mm



2163 Wheatfield Oak 1500 x 167mm



2113 Farmhouse Terracotta + 165 x 165mm



2166 Portobello Flagstone + 400 x 375mm



2164 Powdered Concrete




2126 Natural Oak 1000 x 200mm



2162 Honey Blushed Oak 1500 x 200mm



2130 Country Oak 1500 x 200mm



2165 Plymouth Slate ▲ 500 x 333mm



2118 Polished Concrete



2119 Grey Flagstone + 400 x 375mm



2129 Antique Herringbone 710 x 140mm

54



2133 Black Walnut 420/580 x 100mm




2135 Ebony 1000 x 100/150mm



500 x 333mm

Orientation: + Square ▲ Brickbond



2114 Black Slate ▲



The $\overline{\mbox{R\,values}}$ shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe ranges.





We recommend you view an original sample of your selected designs which we shall be pleased to supply, free of charge. Either visit polyflorathome.com and follow the samples link or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.





Floorcare

So you can continue to enjoy your Secura floorcovering for years to come, a regular cleaning regime is required to help keep it looking as new. Regular cleaning is more beneficial to the floorcovering and more cost effective than occasional heavy cleaning.

Ensure that you regularly:



- Sweep or vacuum your floor to remove any dust and loose dirt
- ✓ Mop with a neutral cleanser to remove any stubborn marks, rinse with clean water and allow to dry

Protection for everyday wear:



- Install mats at all entrances to pick up excess dirt and grit which might scratch the floor
- Ensure all cleaners and detergents are diluted as per the manufacturer's instructions. For recommended products for use with Secura, visit www.polyflor.com and go to the product pages
- ✓ Fit protective pads to all furniture legs to prevent scratches when moved across the floor







The Secura collection comes complete with a polyurethane reinforcement (PUR) to protect against everyday wear

Technical

Gauge	EN 428/ISO 24346	3.0mm
Wear Layer	EN 429/ISO 24340	0.35mm
Roll Size		4m x 25m = 100m ²
	EN 426/ISO 24341	$3m \times 25m = 75m^2$
		$2m \times 25m = 50m^2$
Total Weight	EN 430/ISO 23997	1780g/m²
General Performance	EN 653	Conforms
	EN ISO 26986	Conforms
Jse Area	EN 685/ISO 10874	
Acoustic Impact Sound Reduction	EN ISO 140-8	≥19dB
	EN ISO 10140-3	≥19dB
Resistance to Chemicals	EN 423	Excellent chemical resistance
	ISO 26987	
Reaction to Fire	EN 13501-1	Class Bfl-S1
Abrasion Resistance	EN 653	Group T
Slip Resistance*	EN 13893	Class DS (dry condition)
	AS 4586	R10
	DIN 51130	R10
ndentation Residual	EN 433/ISO 24343-1	<0.2mm
Dimensional Stability	EN 434/EN ISO 23999	<0.40%
Flexibility	EN 435/EN ISO 24344	(Method A) / Pass 20mm Ø
Thermal Resistance	ISO 8302	Suitable for underfloor heating
		0.0525m ² K/W 0.525 Tog
Electrical behaviour (body voltage)	EN 1815	≤2kV Classified as 'antistatic'
Light Fastness	ISO 105-B02	(Method 3) ≥6
Castor Chair (continuous use)	ISO 4918	Pass. Suitable for castor chairs.
Furniture Leg	EN 424	Pass. Type 2 foot
VOC Emissions	Indoor Air Comfort GOLD	Eurofins certified product
	Floorscore	Certified Product
Responsible Sourcing	BES 6001	Very Good

as education and healthcare. It is 100% recyclable. Visit www.polyflor.com/sustainability.

PUR - Polyflor Secura features a high quality, cross-linked polyurethane reinforcement, UV cured to provide a low-cost, polish free maintenance regime for the lifetime of the flooring.

Hygiene - All Polyflor commercial sheet vinyl ranges provide a continuous, impervious and hygienic flooring solution which can be confidently cleaned in accordance with recommended maintenance procedures and approved maintenance products. The implementation of an effective cleaning regime is the most important defence against infection.

For information regarding handling and installation, adhesives, maintenance, applications, chemical resistance and product warranty, consult Polyflor Customer Technical Services on +44 (0)161 767 1912, or email tech@polyflor.com.

*For safety flooring with sustainable wet slip resistance, refer to Polysafe ranges.

The data presented is correct at the time of printing. For latest information, please visit our website polyflor.com.

Decoration and shade may vary slightly from the samples shown.























Sustainability: Polyflor have demonstrated a high level of commitment over the years to producing high quality floorcoverings, whilst minimising our impact on the environment without compromising the performance benefits of our products.

There can be few materials better suited to recycling than vinyl flooring. Secura is 100% recyclable, and can be recycled without losing any of its performance properties. Polyflor continually works on developing new products and technologies, and constantly evaluates production methods to further minimise our impact on the environment.



Indoor Air Comfort GOLD - Approved Eurofins certified FloorScore - Certified product



Refer to BRE Global ratings on

For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance log onto www.polyflor.com/sustainability



The Secura collection of luxury vinyl sheet flooring has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. In addition, Secura is suitable for moderate commercial applications such as light traffic areas within hotels, conference rooms and small offices. Compared with many natural flooring options, Secura will under normal conditions resist household stains, will not crack, chip or splinter. The manufacturers of Secura are confident that their high quality products will provide many years of valuable service. All products purchased from the range are quaranteed for 20 years in domestic home installations against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where the flooring was purchased and provide satisfactory proof of purchase. This quarantee only applies in the event of visible wearing out of the decorative pattern on the surface within 20 years of purchase, providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse. Full terms and conditions of the quarantee are available on request from your flooring wholesaler or Polyflor Ltd.





Online Support

View even more Secura interiors along with other inspiring Polyflor flooring ranges for the home on our dedicated website www.polyflorathome.com, where you can browse save and download your favourite images, as well as order samples on the go!

Commercial customers can also visit www.polyflor.com for detailed product and technical information on all collections within the Polyflor portfolio.

Order Samples

To request free individual product samples of any design within the Secura collection, visit www.polyflor.com and follow the link to Samples and Literature. Alternatively, call the dedicated Polyflor Samples Hotline on +44 (0) 161 767 2551.

For a closer look visit our website or call us:

Polyflor at home ∆

Sample Service

www.polyflorathome.com

+44 (0) 161 767 2551













POLYFLOR™ INTERNATIONAL

Polyflor Australia Tel: +61 3 9215 4400 Tel: 1800 777 425 E-mail: sales@polyflor.com.au

Polyflor Canada Inc. Tel: +1905 364 3000 E-mail: sales@polyflor.ca

China

Polyflor Hong Kong Tel: +(852) 2865 0101 E-mail: info@polyflor.com.hk

France

James Halstead France SAS Tel: +33 (0) 8 20 20 32 11 E-mail: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 E-mail: info@objectflor.de

Polyflor India Pvt Ltd Tel: +91 22 4023 2485 E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland Tel: +353 (1) 864 9304 E-mail: salesireland@polyflor.com

New Zealand

Polyflor New Zealand Tel: +64 9 269 1111 Tel: 0800 765 935 E-mail: sales@polyflor.co.nz

Norway

Polyflor Nordic Tel: +47 23 00 84 00 E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z o.o. Tel: +48 (0) 61 820 3155 E-mail: polyflor@polflor.com.pl

www.polyflorathome.com www.polyflor.com







Polyflor Contract Ltd Tel: +7 (812) 332 42 02 E-mail: info@polyflor.ru

South Africa

Poly Sales Africa (Pty.) Ltd Tel: +27 11 609 3500 E-mail: info@polyflor.co.za

FalckDesign AB Tel: +46 (0) 300 15820 E-mail: info@falckdesign.com

POLYFLOR™ HEAD OFFICE

POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK

UK SALES DIRECT: +44 (0)161 767 1122 UK SAMPLE REQUESTS: +44 (0)161 767 2551 **EXPORT SALES DIRECT:** +44 (0)161 767 1913 UK FAX:

EXPORT FAX:

+44 (0)161 767 1128

+44 (0)161 767 1166

TECHNICAL SUPPORT: +44 (0)161 767 1912

RECEPTION: +44 (0)161 767 1111 E-MAIL: PAHTEAM@POLYFLOR.COM WWW.POLYFLOR.COM



